# NIST Combinatorial Methods Center Informatics Workshop



MatML: Definition, History, Results MatML: Definition, History, Results

E.F. Begley

National Institute of Standards and Technology

22 May 2003

</MatML\_Doc>


MatML is an eXtensible Markup Language for the management and exchange of materials property data on the WWW.

#### Aluminum Alloy Data in HTML


```
1350<br/>metal<br/>metal<br/>aluminum alloy<br/>aluminum alloy<br/>ASTM B230<br/>h18<br/>From "Properties of Aluminum Alloys - Tensile,<br/>Creep, and Fatigue Data at High and Low<br/>Temperatures."<br/>Axial-Stress Fatigue Strength (ksi)<br/><br/>234tr>17151515151515151515151515151515151515151515151515151515151515151515151515151515161717181818181818181819191010101010101010101010101010101010101010101010101010101010101010101010</
```

```
Aluminum Alloy Data in MatML
<MatML Doc>
 <Material>
   <BulkDetails>
    <Name>1350</Name>
    <Class>metal</Class>
    <Subclass>aluminum alloy</Subclass>
    <Specification>ASTM B230/Specification>
    <ProcessingDetails>
      <Name>H18</Name>
    </ProcessingDetails>
    <PropertyData property="p1" source="s1">
      <Data format="integer">23,17,15</Data>
    </PropertyData>
   </BulkDetails>
   <Metadata>
    <DataSourceDetails id="s1">
      <Name>"Properties of Aluminum Alloys... </Name>
    </DataSourceDetails>
    <PropertyDetails id="p1">
      <Name>Axial-Stress Fatigue Strength</Name>
      <Units name="ksi" Description="kip per square inch">
       <Unit>kip</Unit>
       <Unit power="-2">inch</Unit>
      </Units>
    </PropertyDetails>
   </Metadata>
 </Material>
```

MatML: http://www.matml.org



MatML: http://www.matml.org



#### MatML Working Group [1999 - 2001]

#### **Industry and Professional Societies**

- •C. Bullough, ABB ALSTOM Power, UK
- •F. Cverna, ASM International
- •S. Gurke, knovel Corporation
- •G. Kaufman, Aluminum Association
- •T. Kipp, MSC.Software
- •S. McCormick, ESM Software
- •J. Phipps, William Andrew Publishing
- •D. Rose, AMPTIAC
- •M. Smith, CenTOR Software Corp.
- •M. Stoeckle, Ford Motor Company
- •M. Sullentrup, The Boeing Company


#### **Non-NIST Government and Academia**

- •T. Baba, Nat'l Research Lab. Metrology, Japan
- •C. Gibson, CINDAS, Purdue University
- •K. Halada, Nat'l Inst. Materials Science, Japan
- •D. Martin, Iowa State University
- •J. McCarthy, Lawrence Berkeley Nat'l Lab.
- •J. Michopoulos, U.S. Naval Research Lab.
- •F. Moran, Atomic Weapons Establishment, UK
- •P. Murray-Rust, Nottingham University, UK
- •C. Newton, University of Delaware
- •F. Olken, Lawrence Berkeley Nat'l Lab.
- •A. Powell, Massachusetts Institute of Tech.
- •D. Readey, Colorado School of Mines

#### **NIST**

- •E. Begley, Project Leader
- •B. Boettinger, Metallurgy
- •S. Dapkunas, Ceramics
- •C. Handwerker, Metallurgy
- •V. Karen, Ceramics
- •U. Kattner, Metallurgy
- •R. Munro, Ceramics
- •J. Rumble, SRD
- •T. Siewert, Materials Reliability
- •C. Sturrock, SRD
- •C. White, Building Materials


MatML: http://www.matml.org




MatML: http://www.matml.org


#### **MatML Steering Committee [2001 – 2003]**

- •G. Kaufman, Aluminum Association (retired), Chairman
- •E. Begley, NIST, Lead Technical Expert
- •F. Cverna, ASM International
- •D. Fleming, MatWeb.com
- •C. Grethlein, AMPTIAC
- •C. Hammond, General Electric Company
- S. McCormick, ESM Software
- •D. Mies, MSC Software
- •M. Kmetz, IDES, Inc.
- •M. Mitchell, NASA Marshall Space Flight Center
- •C. Nunez, Centor Software Corporation
- •J. Pillers, Boeing Phantom Works
- •J. Rossi, Westmoreland Testing and Research, Inc.
- •C. Seymour, Granta Design Limited
- •M. Sullentrup, Boeing Aircraft Programs





MatML: http://www.matml.org



MatML: http://www.matml.org

#### Technical: MatML Schema

<?xml version="1.0" encoding="UTF-8"?> MatML Version 3.0 Schema Author This document was prepared by E.F. Begley (begley@nist.gov) on behalf of the MatML Working Group (1999-2001) and the MatML Steering Committee (2002). This work is an official contribution of the National Institute of Standards and Technology (NIST) and is not subject to copyright in the United States. "METADATA" is a trademark of the Metadata Company. Any use of the term "metadata" in this document is in a descriptive sense, meaning "data about data." MatML is not in any way affiliated with the Metadata Company. Acknowledgements The MatML development effort has provided deeply satisfying personal and professional challenges for the author. He gratefully acknowledges the contributions of his collaborators. Funding This project was funded [in part] by NIST's Systems Integration for Manufacturing Applications (SIMA) Program. SIMA supports NIST projects applying information technologies and standards-based approaches to manufacturing software integration problems. Project Support Standard Reference Data Program (SRD), NIST Materials Science and Engineering Laboratory (MSEL), NIST Building and Fire Research Laboratory (BFRL), NIST Technical Collaboration The MatML Working Group (1999-2001) Members External to NIST Tetsuva Baba, National Research Laboratory of Metrology, Japan Chris Bullough, ABB ALSTOM Power, Leicester UK Fran Cverna, ASM, International Charles Gibson, Center for Information and Numerical Data Analysis and Synthesis (CINDAS) Sasha Gurke, William Andrew Publishing Kohmei Halada, National Research Institute for Metals, Japan Gil Kaufman, Aluminum Association, Inc. Tom Kipp, MSC.Software David Martin, Iowa State University John McCarthy, Lawrence Berkeley National Laboratory Scott McCormick, ESM Software John Michopoulos, United States Naval Research Laboratory (USNRL) Fred Moran, Atomic Weapons Establishment, UK Peter Murray-Rust, Virtual School of Molecular Sciences, Nottingham University, UK Crystal Newton, Center for Composite Materials, University of Delaware Frank Olken, Lawrence Berkeley National Laboratory Jon Phipps, William Andrew Publishing Adam C. Powell, Massachusetts Institute of Technology Dennis Readey, Colorado School of Mines David Rose, Advanced Materials and Processes Technology Information Analysis Center (AMPTIAC) Martin Smith, CenTOR Software Corporation Michael Stoeckle, Ford Motor Company Mike Sullentrup. The Boeing Company

MatML: http://www.matml.org

Bill Boettinger, Metallurgy Division, MSEL

Technical: MatML Schema

A MatML document is compartmentalized into 5 major elements:

- 1. BulkDetails contains a description of the bulk material
- 2. ComponentDetails contains a description of each component of the bulk material, which is useful for complex materials systems such as composites or welds
- 3. Metadata contains descriptions of data found in the document
- 4. Graphs encodes two-dimensional graphics
- 5. Glossary contains definitions of terms found in the document

MatML: http://www.matml.org

BulkDetails contains description of the bulk material		
Tag	Use	
Name	Name of bulk material	
Class	Class of bulk material	
Subclass	Subclass of class	
Specification	Specification of bulk material	
Source	Source of bulk material	
Form	Form of bulk material	
ProcessingDetails	Description of processing history	
Geometry	Description of geometry	
Characterization	Characterization including chemical formula, chemical composition, phase composition, and dimensional details	
PropertyData	Property data	
Notes	Additional information	

#### ComponentDetails contains description of each component of the bulk material

Tag	Use	
Name	Name of component	
Class	Class of component	
Subclass	Subclass of component	
Specification	Specification of component	
Source	Source of component	
Form	Form of component	
ProcessingDetails	Description of processing history	
Geometry	Description of geometry	
Characterization	Characterization including chemical formula, chemical composition, phase composition, and dimensional details	
PropertyData	Property data	
AssociationDetails	Description of the relationship of the component to another component	
Notes	Additional information	
ComponentDetails	Description of a component within the component	

MatML: http://www.matml.org

Metadata contains descriptions of the data sources, properties, measurement techniques, specimens, and parameters encoded within the MatML Document

Tag	Use	
DataSourceDetails	Description of a data source	
PropertyDetails	Description of a property	
MeasurementTechniqueDetails	Description of a measurement technique	
SpecimenDetails	Description of a specimen	
ParameterDetails	Description of a parameter	

MatML: http://www.matml.org

Graphs describes two-dimensional graphics and allows for three types of graphical objects: vector graphics shapes, images, and text

	, , ,	
Tag	Use	
W3C's Scalable Vector Graphics markup language (SVG)	See http://www.w3.org/TR/SVG/	

MatML: http://www.matml.org

Glossary contains definitions of terms found in the MatML document			
Tags	Use		
Name	Name of term		
Definition	Definition of term		
Abbreviation	Abbreviation(s) of term		
Synonym	Synonym(s) of term		
Notes	Additional information pertinent to the term		

MatML: http://www.matml.org

Tagset for MatML Version 3.0 Schema				
Associate	Geometry	PropertyDetails		
AssociationDetails	Glossary	Qualifier		
BulkDetails	Graphs	Relationship		
Characterization	Material	Result		
ChemicalComposition	MatML_Doc	Shape		
Class	MeasurementTechniqueDetails	Source		
ComponentDetails	Metadata	Specification		
Compound	Name	SpecimenDetails		
Concentration	Notes	Subclass		
Data	Orientation	Symbol		
DataSourceDetails	ParameterDetails	Uncertainty		
DimensionalDetails	ParameterValue	Unit		
Dimensions	PhaseComposition	Unitless		
Element	ProcessingDetails	Units		
Formula	PropertyData	Value		

MatML: http://www.matml.org

#### Technical: Catalog of Examples

```
<?xml version="1.0" encoding="UTF-8"?>
             MatML Version 3.0 Schema Example 1 - Structural Ceramic from an Online Materials Database
             Prepared by - E.F. Begley, NIST
             Source - NÍST WebSČD, http://www.ceramics.nist.gov/srd/scd/Z00363.htm, R.G. Munro and E.F. Begley,
<MatML Doc xmlns:xsi="http://www.w3.org/2000/10/XMLSchema-instance" xsi:noNamespaceSchemaLocation="matml.xsd">
                          <BulkDetails>
                                       <Name>silicon nitride</Name>
                                       <Class>ceramic</Class>
                                       <Subclass>nitride</Subclass>
                                       <Specification>NCX-5102</Specification>
                                       <Source>Saint-Gobain/Norton Industrial Ceramics</Source>
                                       <Form>bar</Form>
                                       <ProcessingDetails>
                                                     <Name>hot isostatic pressing</Name>
                                                                  "The material produced is designated NCX-5102 and consists of a silicon nitride-4% yttria composition
                                                                  that is densified by glass-encapsulation HIPing. ... Large-scale batches (30 kg) of Si3N4-4% Y2O3
                                                                 powder were milled in water, and the slurry was used to cast hundreds of tensile rods. The starting Si3N4
                                                                  powder (Ube) was derived from a dimmide process. ... The net-shape-formed bars were HIPed using
                                                                  glass encapsulation (ASEA Cerma AB, Robertsford, Sweden). The HIP process was optimized using
                                                                  pressure, time and temperatures to assure full densification and development of an elongated
                                                                  microstructure for desired fracture toughness..."
                                                     </Notes>
                                       </ProcessingDetails>
                                       <Characterization>
                                                     <Formula>Si3N4.4wt%Y2O3</Formula>
                                                     <ChemicalComposition>
                                                                  <Compound>
                                                                               < Element>
                                                                                            <Symbol subscript="3">Si</Symbol>
                                                                               </Element>
                                                                               < Element>
                                                                                            <Symbol subscript="4">N</Symbol>
                                                                               </Element>
                                                                  </Compound>
                                                                  <Compound>
                                                                               < Element>
                                                                                            <Symbol subscript="2">Y</Symbol>
                                                                               </Element>
                                                                               < Element>
                                                                                            <Symbol subscript="3">O</Symbol>
                                                                               </Element>
                                                                               <Concentration>
                                                                                            <Value format="integer">4</Value>
                                                                                            <Units description="mass fraction">
                                                                                                         <Unit>%</Unit>
                                                                                            </Units>
                                                                               </Concentration>
                                                                  </Compound>
                                                     </ChemicalComposition>
                                       </Characterization>
                                       <PropertyData property="pr1" technique="mt1" source="ds1">
                                                     <Data format="integer">972.561</Data>
                                                     <ParameterValue parameter="pa1" format="integer">23,1370</ParameterValue>
                                        </PropertyData>
```


Technical: Catalog of Examples

See NISTIR 6939, pages 35 – 43 for fully worked examples:

- 1. Structural ceramic from an online materials database
- 2. Aluminum alloy from a printed handbook
- 3. Steel with TiC coating from a journal article

MatML: http://www.matml.org

Strategic: www.matml.org



MatML: http://www.matml.org

#### Strategic: Testing and Evaluation

- <u>Finite element modeling markup language (femML)</u>: femML (www.istos.org/femML/) uses MatML via namespace for managing materials data within femML documents.
- Application to MatWeb Materials Information Downloads:
   MatWeb (www.matweb.com) has a trial export format for
   MatWeb in place, and is fully committed to MatML as an option for distributing materials information from the site.
- Granta Design Application of MatML: Granta Design (www.grantadesign.com) is working on a trial application with which users might download materials information in MatML format using Granta Design software.
- Granta Design Application of MatML for NIST MSEL: On contract from the NIST Materials Science and Engineering Laboratory, Granta Design is working on the use of MatML for the distribution of materials information by MSEL's Metallurgy Division.

#### Strategic: Testing and Evaluation

- <u>Laboratory Test Equipment Application of MatML:</u> A Test Data Exchange Working Group has been established to evaluate the reporting of materials information from laboratory test equipment to lab customers using MatML. Westmoreland Mechanical Testing & Research (<a href="www.wmtr.com">www.wmtr.com</a>) will utilize sample customer orders requesting data in MatML as the output format.
- NASA MSFC Utilization of MatML: NASA Marshall Space Flight Center (www1.msfc.nasa.gov/) has funded a program with Centor Software (www.centor.com) that includes the evaluation of MatML for the exchange materials information among NASA sites.
- ASM/MSC Application of MatML for Publication Development: ASM International (www.asm-intl.org) and MSC Software (www.mscsoftware.com) are evaluating the use of MatML to handle the transmission of materials information from ASM to MSC for the development of new ASM publications.

#### Strategic: Early Stage of Consideration

- <u>General Electric Corporation:</u> General Electric (Schenectady) is considering the application of MatML for the exchange of materials information within that organization.
- MIL-HDBK-5, 17: The producers of the military handbooks that cover materials information, commonly referred to as MIL-HDBK-5 and MIL-HDBK-17, have expressed interest in the possible use of MatML in their exchange of materials information.
- Building & Construction Industries; Cement & Concrete:
   American Concrete Institute
   (http://www.aci-int.org/general/home.asp) experts are discussing the possible use of MatML for the exchange of materials information for B&C applications of these products.
- <u>Test Equipment Manufacturers:</u> Discussions have been initiated with several test equipment manufacturers (Instron and MTS Systems Corp.) on possible applications of MatML in their test equipment data output software.

#### Strategic: Early Stage of Consideration

- <u>ANSYS</u>: The developers of ANSYS have expressed some interest in the use of MatML for the interchange of materials information.
- SETAC/Life-Cycle Assessment Advisory Group: MatML has been proposed as a tool for the exchange of materials information by the Society of Environmental Toxicology and Chemistry Life-Cycle Assessment Advisory Group. Consideration will be given to submitting a paper at a future SETAC/Europe Conference, where that application may be further explored.
- Swedish Industrial Consortium: The Swedish Industrial Consortium is considering the possible application of MatML for the distribution of materials information from their website.

#### **Recent and Upcoming Events**

- MatML registered and reposited at xml.org
   (xml.org works to minimize overlap and duplication in XML languages and XML standard initiatives by providing public access to XML information and XML Schemas)
- OASIS MatML Technical Committee established (initiated by NIST, NASA, and Boeing)
   (OASIS, Organization for the Advancement of Structured Information Standards, is a not-for-profit, global consortium that drives the development, convergence and adoption of e-business standards. See: http://www.oasis-open.org)
- MatML's future development handed off from NIST to Industry
  Development Working Group chaired by Doug Fleming of
  MatWeb.com (doug.fleming@matls.com) on 06 May 2003.
- Prototype MatML Editor Development Project to be initiated this summer (Sponsored by MSEL Center for Theoretical and Computational Materials Science and BFRL)
- Neutral MatML Industry Management Group being formed to replace NIST-sponsored MatML Steering Committee (meeting planned for 05-06 June 2003)